## Hinweise zu Lagerung und Transport unserer Formteilen

## Storage and transport instructions for our fittings

- Transport und Lagerung der Formteile muss flach und in Originalverpackung erfolgen.
- Die Lade- und Lagerfläche muss eben und frei von Unrat wie Steinen, Nägeln und Schrauben sein.
- Paletten mit Formteilen dürfen nachträglich nicht gestapelt werden.
- Alle Formteile, auch in Verpackung, sind vor direkter Sonneneinstrahlung zu schützen.
- Alle Formteile sind vor Schmutz, Feuchtigkeit, Wärme- und UV-Strahlung zu schützen.
- Schutzkappen und Umverpackung erst kurz vor der Montage entfernen.
- Für die Montage oder das Handling erforderliche Anschlagmittel und Hebezeuge dürfen die Formteile nicht beschädigen.
- Transport and storage of fittings must be carried out in flat position and in original packaging.
- Loading as well as storage area shall be even and free from garbage such as stones, nails and screws.
- Subsequent stacking of fitting pallets is prohibited.
- All fittings, even in boxes/packaging, shall be protected against direct sunlight.
- All fittings shall be protected against contamination, moisture, heat and UVradiation.
- Remove protection caps and packaging just shortly before assembly.
- Please ensure that any handling slings or lifting devices required for the assembly will not damage the fittings.

